



1. Find the H.C.F. of $70x^3$ and $110x^2$

- (i) $10x^4$ (ii) $770x^3$ (iii) $10x^3$ (iv) $10x^2$ (v) $10x^5$

2. Find the H.C.F. of $44xy^2$ and $20x^3y$

- (i) $220x^3y^2$ (ii) $4xy^3$ (iii) $4xy$ (iv) $4x^2y$ (v) $4x^4y$

3. Find the H.C.F. of $44xyz$ and $52xy^3z^2$

- (i) $572xy^3z^2$ (ii) $4xyz$ (iii) $4xyz^3$ (iv) $4xy^3z$ (v) $4x^2yz$

4. Find the L.C.M. of $4x^2$ and $12x$

- (i) $12x^4$ (ii) $12x^3$ (iii) $48x^3$ (iv) $12x^2$ (v) $4x$

5. Find the L.C.M. of $10xy^3$ and $70x^2y^2$

- (i) $700x^3y^5$ (ii) $70x^2y^5$ (iii) $10xy^2$ (iv) $70x^3y^3$ (v) $70x^2y^3$

6. Find the L.C.M. of $4x^3y^2z^3$ and $20x^2yz$

- (i) $80x^5y^3z^4$ (ii) $20x^3y^2z^3$ (iii) $4x^2yz$ (iv) $20x^4y^2z^3$ (v) $20x^3y^4z^3$

7. Find the H.C.F. of $(x^2 - 7x - 8)$ and $(x^2 - 3x - 4)$

- (i) $(2x+1)$ (ii) $(x+1)$ (iii) $(2x-8)$ (iv) $(x-4)$ (v) $(x-8)$

8. Find the L.C.M. of $(x^2 + 8x + 7)$, $(x^2 + 7x + 6)$ and $(x^2 + 13x + 42)$

- (i) $(x+1)(x+6)(x-7)$ (ii) $(x+7)(x+6)(x-7)$ (iii) $(x+7)(x+1)(x-4)$ (iv) $(x+7)(x+1)(x+6)$
(v) $(x+7)(x+1)(x-7)$

9. Find the L.C.M. of $(8x^2 + 37xy + 20y^2)$ and $(40x^2 + 49xy + 15y^2)$

- (i) $(5x+3y)(x+4y)(x+5y)$ (ii) $(x+4y)(8x+5y)(x+5y)$ (iii) $(x+4y)(8x+5y)(5x+3y)$
(iv) $(x+4y)(8x+5y)(2x+6y)$ (v) $(8x+5y)(5x+3y)(x+5y)$

10. Which of the following gives the L.C.M. of two or more polynomials?

- (i) (Product of numerical coefficients) $\times$ (Each common factor raised to the lowest power)
(ii) (L.C.M. of numerical coefficients) $\times$ (Each common factor raised to the highest power)
(iii) (L.C.M. of numerical coefficients) $\times$ (Each common factor raised to the lowest power)
(iv) (Product of numerical coefficients) $\times$ (Each common factor raised to the highest power)

11. Which of the following gives the H.C.F of two or more polynomials?

- (i) (Product of numerical coefficients) $\times$ (Each common factor raised to the lowest power)
- (ii) (H.C.F. of numerical coefficients) $\times$ (Each common factor raised to the highest power)
- (iii) (H.C.F. of numerical coefficients) $\times$ (Each common factor raised to the lowest power)
- (iv) (Product of numerical coefficients) $\times$ (Each common factor raised to the highest power)

Assignment Key

1) (iv)

2) (iii)

3) (ii)

4) (iv)

5) (v)

6) (ii)

7) (ii)

8) (iv)

9) (iii)

10) (ii)

11) (iii)

Copyright © Small Systems Computing Pvt. Ltd.